

Exclusively available from BAYVIEW TECHNOLOGIES PTY LTD

PH: 03 9462 4077

website: [www.bayviewtech.com.au](http://www.bayviewtech.com.au)

QLD: 0417 764 268

email: [brett@bayviewtech.com.au](mailto:brett@bayviewtech.com.au)

NSW: 0417 330 729


email: [vic@bayviewtech.com.au](mailto:vic@bayviewtech.com.au)

VIC: 0432 532 955

email: [matt@bayviewtech.com.au](mailto:matt@bayviewtech.com.au)

## BVT-CAB04

RS 485



<b>Part Number:</b>	BVT-CAB04
<b>Pair Count:</b>	1 Pair
<b>Conductor:</b>	Tinned Copper
<b>Size:</b>	24AWG
<b>Stranding:</b>	7/0.20
<b>Insulation:</b>	Polyethylene
<b>Insulation Thickness:</b>	0.60mm ± 0.05mm
<b>Pair Identification:</b>	White/Blue & Blue/White
<b>Overall Screen:</b>	Aluminium/Polyester Foil Screen + 90% Tinned Copper Braid 24AWG Tinned Copper Drain Wire
<b>Sheath:</b>	PVC
<b>Sheath Colour:</b>	Black
<b>Diameter mm (Nom)</b>	5.90mm ± 0.15mm
<b>Temperature Rating °C</b>	-30°C to +80°C
<b>Nominal Impedance (Ω)</b>	120
<b>Nom. Capacitance Cond to Cond pF/m</b>	42.56
<b>Nom. Capacitance Cond to Shield pF/m</b>	76.25
<b>Nom. Conductor DC Resistance Ω/km @ 20°C</b>	78.8
<b>Packaging</b>	305m Reel
<b>UL Specification</b>	CM
<b>UL Flame Test</b>	UL 1685
<b>RoHS Compliant</b>	Yes
<b>Proposed Jacket Print</b>	BVTCABLES.COM.AU BVT-CAB04 CM 1PR 24AWG Foil + Braid RS-485 <Manufacture Date> <Metre Mark>

Document/Product Type:	BVT-CAB04	Page No:	Page 1/1
Date:	29/11/23	Revision:	D